SHIMOGA DIVISION.

Notice dated 23rd August 1928.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Shimoga Division, up to 15th September 1928, for "Restoring Guddekoppa Doddakere Registerd No. 662, Sorab Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of 15th June 1929.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Shimoga, between the hours of 11 A.M. and 5 P.M. on all working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed :—

Description of work	Unit of work	Rate per unit

4. Each tender must be accompanied by a deposit of Rs. 300 in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for restoring Guddekoppa Doddakere Registerd No. 662, Sorab Taluk, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, Shimoga Circle, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond ; in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office, in due course.
No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Detailed Abstract estimate quantities of restoring Guddekoppa Doddakere Registered No. 662 in Sorab Taluk :—

Sl. No.	Items of work	Per	Quantity
	Bund at R. L. 54·00.		
1	Jungle clearing, scraping grass on the bund and cutting trenches and benches.	Lump	sum
2	Earthwork, watering and tamping, complete ...	C.yd.	6,077
3	Turfing the bund on both the slopes	S.yd.	6,972
4	Gradestones including chiseling figures painting and fixing with bed slabs, complete.	Each	20
5	Index stones including fixing	,,	20
6	Survey and constructive details stone including chiseling, letters and figures, painting and fixing, complete.	,,	1
7	B. M. stones, including chiseling figures, painting and fixing, complete.	,,	2
8	Gauge stones including chiseling figures and gauges and painting and fixing with bed slab, complete.	,,	1

Sl. No.	Items of work	Per	Quantity
	Sluice No. 1 Cill at R. L. 44·00.		
1	Earthwork, excavation	C.yd.	60
2	Refilling the bund with watering and tamping ...	,,	38
3	Stone jelly concrete in surki mortar	C.ft.	182
4	Burnt brick in surki mortar or stone in surki mortar (Rates for both may be quoted separately).	,,	183
5	Burnt stone slabs dressed and fixed 4" to 6" ...	S.ft.	75
6	Plastering with surki mortar	Sqr.	3
7	Cutting holes in orifice and guide slabs	Lump	sum Rs.
8	Providing cast iron pipes of 10" dia. including cost, railway freight, cart-hire to site and fixing in cement, complete.	R.ft.	36
9	Providing teakwood plug with iron rod 1¼" dia. with well cut shoulders lifting and locking arrangements, complete.	Lump	sum Rs.
	Sluice No. 2 Cill at R. L. 46·00.		
1	Earthwork excavation	C.yd.	17
2	Do refilling with watering and tamping, complete	,,	9
3	Stone jelly concrete in surki mortar	C.ft.	200
4	Burnt brick in surki mortar or stone in surki mortar ...	,,	200
5	Burnt stone slabs dressed and fixed 4" to 6" ...	S.ft.	66
6	Plastering with surki mortar	Sqr.	3
7	Cutting holes in orifice slabs guide and gibbet slabs ...	Lump	sum Rs.
8	Providing cast iron pipes of 7" dia. including cost, railway fright cart-hire and fixing complete.	R.ft.	27
9	Providing wooden plug with iron rod 1¼" dia. and locking arrangements complete.	Lump	sum Rs.
	Left Waste Weir 95' long at R. L. 50·00.		
1	Earthwork, excavation	C.yd.	47
2	Stone jelly concrete in surki mortar	C.ft.	210
3	Burnt brick in surki mortar or stone in surki mortar ...	,,	524
4	Burnt stone slabs dressed and fixed 4" to 6" ...	S.ft.	238
5	Plastering with surki mortar	Sqr.	1
6	Rough stone work new including jelly wedging, complete	C.yd.	116
7	Providing joggle joints to the covering slabs ...	No.	37
8	Draft clearing earthwork	Lump	sum Rs.
	Repairing the feeder channel from Gowri Halla.		
1	Earthwork with watering and tamping ...	C.yd.	674
2	Cutting grips for seat of breach filling	Lump	sum Rs.
3	Removing the disturbed old rough stone dam of 35' long and 12' wide across Gowri Halla by constructing a new brick masonry body wall and for wall of 1½' x 4' with coping slab.	Lump	sum Rs.

Notice dated 23rd August 1928.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Shimoga Division, up to 15th September 1928, for Restoring Hasodi Doddakere Registered No. 651 of Shimoga Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of 15th June 1929.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Shimoga, between the hours of 11 A.M. to 5 P.M., on working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statment in the form given below, showing the rates at which the different items specified will be executed.—

Description of work	Unit of work	Rate per unit

4. Each tender must be accompanied by a deposit of Rupees 800 (eight hundred) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Restoring Hasodi Doddakere Registered No. 651 of Shimoga Taluk" in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, Shimoga Circle, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Detailed Abstract Estimate of Quantities for Restoring Hasodi Doddakere (Major) Registered No. 651, Shimoga Taluk :—

No.	Items of work	Per	Quantity
	Bund R. L. 56·00.	Rs.	
1	Clearing jungle with roots and cutting grips to receive new earth work (40) grades.	Lump	sum
2	Earthwork to bund, including watering and consolidating up to 200 feet lead.	C.yd.	21,503
(*a*)	Extra lead for earth to be carted from R. Wier site to C. S. 3 to C. S. 14 (average lead for 3/8 mile).	,,	13,046
3	Turfing the front and rear slopes	Sqrs.	1628·00
4	Providing and fixing grade stones with bed slabs including cutting figures and painting complete.	No.	40
5	Providing and fixing index stones	,,	40
6	Supplying and fixing B. M. stones including bed slabs and cutting figures and painting complete.	,,	2
7	Do Registered No. Stone complete	,,	1
8	Do Date Stone complete	,,	1
9	Do Gauge stones with bed slabs including cutting figures and gauge and painting complete (to be of two stones of 8½" length since the height is much).	,,	1
	Conrtructing a Right Waste Weir 74 *feet long at R. L.* 50·00.		
1	Earthwork, excavating foundation and using earth for forming side bank J. H. shown in plan.	C.yd.	113
2	Stone jelly surki concrete	C.ft	168
3	Burnt stone in surki mortar	,,	445
4	Cement concrete slabs (in small stone jelly) laid 3" thick and thin coat of cement plastering on top.	,,	50
5	Burnt stone slabs dressed and fixed 6" thick	S.ft.	26
6	Plastering with surki mortar	Sqr.	5·80
7	New rough stone work with jelly complete	C.yd.	88
8	Draft and approach clearing to be done (and charged under earthwork to bund).	,,	Nil
	Constructing Left Waste Weir 18' *long at R. L.* 50·00.		
1	Earthwork, excavating foundation and using earth for forming side banks as per plan Y. K.	C.yd.	49
2	Stone jelly surki concrete	C.ft.	97
3	Burnt stone in surki mortar	,,	259
4	Cement concrete slabs (in small stone jelly) laid 3" thick and thin coat of cement plastering on top.	,,	13
5	Burnt stone slabs 6" thick dressed and fixed	S.ft.	26
6	Plastering with surki mortar	Sqrs.	3·08
7	New rough stone work with jelly complete	S.yd.	57

Notice dated 20th August 1928.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Shimoga Division, up to 15th September 1928, for Restoring Mattikote Koralakatte Registered No. 394 of Shikarpur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of 15th June 1929.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Shimoga between the hours of 11 A.M. to 5 P.M., on working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompained by a statement in the form given below, showing the rates at which the different items specified will be executed :-

Description of work	Unit of work	Rate per unit

4. Each tender must be accompanied by a deposit of Rupees 350 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Restoring Mattikote Koralakatte Registered No. 394 of Shikarpur Taluk.

5. The final acceptance of any tender will rest with the Superintending Engineer, Shimoga Circle Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be pasted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Detailed Abstract estimate of quantities for Restoring Mattikote Koralakatte tank Registered No. 394, Shikarpur Taluk.

No.	Items of work	Per	Quantity
	I. *Bund to be raised to R. L. 55·00.*		
1	Jungle clearing, scraping grass, removing roots, cutting grips and trenches to receive new earth work to bund.	L. S.	Rs.
2	Earth work to bund including watering and tamping, etc., complete.	Cyd.	10,422
3	Turfing to bund on both the slopes	Sqrs.	1219·24
4	Providing grade stones with bed slabs including chiseling letters and numbering and painting and fixing complete.	No.	41
5	Providing index stones	,,	41
6	Supplying and fixing gauge stones including chiseling gauges and figures painting and fixing.	,,	1
7	Providing date and register number stone including chiseling letters and fixing and figures painting complete.	,,	1
3	Supplying and fixing B. M. stones including chiseling figures and painting.	,,	2
	II. *Constructing a C. I. pipe Sluice with Cill at R. L. 47·50.*		
1(*a*)	Earth work cut opening the bund to R. L. 47·50 and refilling with consolidation.	L. S.	Rs.
(*b*)	Earth work excavating foundation and using earth for bund ...	Cyd.	10
2	Stone jelly concrete in surki mortar	Cft.	261
3	Burnt brick in surki mortar or Stone in surki mortar (Rates for both may be quoted seperately).	,,	206
4	Burnt stone slabs 6" thick dressed and fixed	Sft.	61
5	Cement concrete slabs 6" thick with reinforcement inside and fixing in mortar complete.	Sft.	19

No.	Items of work	Per	Quantity
6	Surki plastering	Sqrs.	2·00
7	Cutting holes in upper and lower orifice slabs and guide and gibbet slabs.	L. S.	Rs.
8	Providing cast iron pipes of 10″ dia. including cost Ry. freight, carting and fixing in cement.	R.ft.	24
9	Providlng wooden plug and 1¼″ iron rod and locking arrangements complete.	L. S.	Rs.
	III. *Constructing a Waste Weir 30′ long at R. L. 51·10.*		
1.	Earth work (and using it for bund)	Cyd.	44
2	Stone jelly concrete in surki mortar	Cft.	135
3	Burnt brick in surki mortar or Stone in surki mortar (Rates for both may be quoted separately).	,,	470
4	Cement concrete slabs 6″ thick with reinforcement inside and fixing in mortar.	,,	55
5	Pointing with cement	Sqr.	1·50
6	Plasting with surki mortar	,,	2·32
7	Rough stone work new with jelly packing	Cyd.	41
8	Clearing front draft channel near waste weir	L. S.	Rs.

M. A. SRINIVASACHARI,
Executive Engineer.

MEDICAL DEPARTMENT.

VICTORIA HOSPITAL, BANGALORE.

Sealed tenders, in triplicate, on half sheet foolscap size paper, will be received at the Office of the Victoria Hospital, Bangalore, for the supply of articles of "Bedding and Clothing" required for the use of this institution. For details, please refer to Part VI, pages 840 and 841 of the *Mysore Gazette*, dated 23rd August 1928.

S. SUBBA RAO,
Medical Officer in charge.

MINTO OPHTHALMIC HOSPITAL, BANGALORE.

Sealed tenders for the supply of articles of "Bedding and Clothing" required for the Minto Ophthalmic Hospital, Bangalore, will be received by the undersigned on Thursday the 20th September 1928, at 11 A.M. For details *vide* pages 841 and 842, Part VI, *Mysore Gazette*, dated 23rd August 1928.

D. K. NARAYAN RAO,
Superintendent.

PRINCESS KRISHNAJAMANNI TUBERCULOSIS SANATORIUM, MYSORE.

TENDER NOTICE.

1. Notice is hereby given that sealed tenders in triplicate on half sheet foolscap size paper will be received at the office of the Medical Officer, Princes Krishnajamanni Tuberculosis Sanatorium, Mysore by the undersigned at 11 A.M., on Tuesday the 2nd October 1928, for the supply of Bedding and Clothing required for the use of the said Hospital.

2. No tender will be received after the date and hour abovementioned.

3. Tenders to be superscribed "Tenders for the supply of Bedding and Clothing to the Princess Krisnhajamanni Tubcrculosis Sanatorium, Mysore."

4. No tender will be received unless accompained by a deposit of Rs 50 in cash or Currency Notes or Treasury receipts.

5. Tenders will be opened by the Medical Officer in charge at his office in the Princess Krishnajamanni Tuberculosis Sanatorium, Mysore on the date and at the hour abovementioned in the presence of such tenderers, as may choose to attend.

6. The rate for each item must be specified in figures, as well as in words, and they must be for the particular kind or brand of the articles, as specified in the list appended hereto. The value of each tender must be worked out according to the rates tendered and the total value must also be entered in words in ink. Tenders not conforming to this rule will be rejected.